Porfence product catalogue

Aluminum and steel fence systems, gates and hardware for distributors and contractors in North America and Europe.

Contents

1. Aluminum Fence Systems
2. Aluminum Pool Fence
3. Aluminum Slat & Privacy Fence
4. Aluminum Railings & Balusters
5. Ornamental Steel Fence
6. Welded Mesh Panel Fence
7. Gates
8. Posts, Hardware & Accessories

Aluminum Fence Systems

Every aluminum line we make, on one page: ornamental picket panels, pool fence, slat and louvre privacy systems, railings and profiles. Filter by system type, then open a style for its drawing and specification.



Standard specification

Alloy	6063-T5 / T6 aluminum
Picket panels	36"–72" high, 72" (1829 mm) wide, rackable
Privacy panels	1.0–2.0 m high, up to 1.8 m between posts
Posts	2", 2.5" and 3" square, in-ground or base plate
Finish	Polyester powder coat, 5 standard colours, RAL on request
Packing	Export cartons or crates, private label available

Indicative dimensions. The final specification is confirmed in your quotation.

Styles in this range

Flat Top Aluminum Fence

A clean three-rail picket panel with pickets finished flush under the top rail. The volume style for residential distributors.

Flush top rail, no exposed picket ends · Matching walk and drive gates · Rackable version for slopes

Spear Top Aluminum Fence

Pickets pass through the top rail and finish in cast spear tips for a traditional wrought-iron look without the rust.

Cast aluminum spear finials · Two- and three-rail versions · Matching arched gates

Puppy Picket Aluminum Fence

Extra short pickets between the main pickets at the bottom of the panel to keep small dogs in.

Closer spacing at ground level · Same posts and gates as standard panels · Flat or spear top

Aluminum Fence Profiles & Components

Rails, pickets and posts supplied as profiles for fabricators and brands that assemble locally.

Cut to length or full bar lengths · Pre-punched rails on request · Powder coated or mill finish

Custom Aluminum Fence Systems

Your profile drawing, your RAL colour and your brand on the box, for distributors building their own fence line.

New extrusion dies to your drawing · Private-label packing and barcodes · Container programs with repeat orders

Standard colours

Black	Bronze	Anthracite	White	Moss green
RAL 9005	Textured bronze	RAL 7016	RAL 9016	RAL 6005

Polyester powder coat over a pretreated surface. Other RAL colours on volume orders. Request a physical sample for colour approval.

Request a quotation

Send product, height, colour, quantity or run length, gate openings and delivery country to **info@porfence.com** or WhatsApp **+1 647 801 2092**. Quotes are given FOB Türkiye, CIF or DDP to the US and Europe.

Aluminum Pool Fence

Pool-barrier panels with close picket spacing and gates that close and latch on their own. Built in aluminum so the fence stays clean around chlorine and salt water.

Standard specification

Alloy	6063-T5 / T6 aluminum
Panel heights	48", 54", 60" (1.2–1.5 m)
Picket spacing	Openings under 4" (100 mm) for pool-barrier layouts
Gates	Self-closing hinges, magnetic self-latching latch
Finish	Powder coat for wet and coastal exposure
Colours	Black, bronze, white, anthracite

Indicative dimensions. The final specification is confirmed in your quotation.

Styles in this range

Flat Top Pool Fence

Pool-barrier panels with close picket spacing and a flush top rail that is hard to climb.

Openings under 4" (100 mm) · 48" to 60" heights · Matching self-closing gate

White Aluminum Pool Fence

The pool fence in white powder coat for coastal homes and resort terraces.

RAL 9016 white · Salt and chlorine resistant finish · Same panels and gates as black



Pool Gate

A walk gate with self-closing hinges and a magnetic self-latching latch, built to match the pool panels.

Self-closing tension hinges · Magnetic latch, high-mount option · Left or right hand

Standard colours

Black	Bronze	Anthracite	White	Moss green
RAL 9005	Textured bronze	RAL 7016	RAL 9016	RAL 6005

Polyester powder coat over a pretreated surface. Other RAL colours on volume orders. Request a physical sample for colour approval.

Request a quotation

Send product, height, colour, quantity or run length, gate openings and delivery country to **info@porfence.com** or WhatsApp **+1 647 801 2092**. Quotes are given FOB Türkiye, CIF or DDP to the US and Europe.

Aluminum Slat & Privacy Fence

Horizontal and vertical slat systems, louvres and fully closed panels. The fastest-growing garden fence segment in Europe, and a low-maintenance alternative to timber and composite.

Standard specification

Alloy	6063-T5 / T6 aluminum
Heights	1.0–2.0 m (40"–80")
Panel width	Up to 1.8 m between posts
Slats	65–150 mm profiles, gaps 5–25 mm
Finish	Powder coat or wood-look transfer finish
Assembly	Kit form or pre-assembled panels

Indicative dimensions. The final specification is confirmed in your quotation.

Styles in this range

Horizontal Slat Fence

Wide horizontal slats with even gaps for contemporary gardens and terraces.

Slat and gap sizes to choose · Kit or assembled panels · Matching slat gates

Vertical Slat Fence

Vertical slats in a strong architectural rhythm for frontage and courtyard walls.

Narrow or wide slat profiles · Works on walls and posts · Matching gates

Louvre Privacy Fence

Angled blades block direct views while letting air and light through.

Fixed angled blades · Privacy from street level · Ventilated screening

Full Privacy Aluminum Fence

Fully closed panels with interlocking slats for complete screening and wind protection.

No gaps between slats · Wind-load rated posts · Solid or wood-look finish

Standard colours

Black	Bronze	Anthracite	White	Moss green
RAL 9005	Textured bronze	RAL 7016	RAL 9016	RAL 6005

Polyester powder coat over a pretreated surface. Other RAL colours on volume orders. Request a physical sample for colour approval.

Request a quotation

Send product, height, colour, quantity or run length, gate openings and delivery country to **info@porfence.com** or WhatsApp **+1 647 801 2092**. Quotes are given FOB Türkiye, CIF or DDP to the US and Europe.

Aluminum Railings & Balusters

Round and square balusters cut to length, plus railing kits for decks, stairs and balconies. Supplied in bulk to lumber yards and railing brands.



Standard specification

Alloy	6063-T5 / T6 aluminum
Round balusters	Ø 19 mm (3/4"), 1.27 mm wall
Square balusters	3/4" square
Lengths	26", 32", 36" and cut to order
Finish	Black powder coat standard, other colours on request
Packing	Bulk cartons or retail packs, private label

Indicative dimensions. The final specification is confirmed in your quotation.

Styles in this range

Round Aluminum Balusters

Round balusters in powder-coated aluminum, cut to length and packed for deck railing programs.

Ø 19 mm (3/4"), 1.27 mm wall · 26", 32", 36" or cut to order · Bulk or retail packs

Square Aluminum Balusters

Square balusters for a crisp, modern deck and balcony railing.

3/4" square profile · Black and white standard · Private-label packing

Stair Railing

Railing sections and adjustable brackets for outdoor steps and changes in level.

Adjustable stair brackets · Same balusters as level runs · Kit form

Standard colours

Black	Bronze	Anthracite	White	Moss green
RAL 9005	Textured bronze	RAL 7016	RAL 9016	RAL 6005

Polyester powder coat over a pretreated surface. Other RAL colours on volume orders. Request a physical sample for colour approval.

Request a quotation

Send product, height, colour, quantity or run length, gate openings and delivery country to **info@porfence.com** or WhatsApp **+1 647 801 2092**. Quotes are given FOB Türkiye, CIF or DDP to the US and Europe.

Ornamental Steel Fence

Galvanized and powder-coated steel picket fence for sites where strength matters more than weight. Residential, commercial and industrial grades.

Standard specification

Material	Pre-galvanized steel, powder coated
Heights	4', 5', 6' (1.2–1.8 m), taller for commercial
Rails	2-rail and 3-rail
Pickets	3/4" and 1" square
Tops	Flat, spear and arched
Colours	Black standard, RAL on request

Indicative dimensions. The final specification is confirmed in your quotation.

Styles in this range

Residential Steel Fence

A decorative steel picket panel for gardens and residential frontage.

Pre-galvanized steel · Flat or spear top · Matching walk gates

Commercial Steel Fence

Heavier rails and pickets for commercial perimeters, apartments and light industry.

Heavier gauge rails · Heights to 8' · Drive and pedestrian gates

Arched Ornamental Steel Fence

Arched top rails for a traditional ornamental perimeter.

Arched or reverse-arched · Spear or flat pickets · Matching estate gates

Standard colours

Black	Bronze	Anthracite	White	Moss green
RAL 9005	Textured bronze	RAL 7016	RAL 9016	RAL 6005

Polyester powder coat over a pretreated surface. Other RAL colours on volume orders. Request a physical sample for colour approval.

Request a quotation

Send product, height, colour, quantity or run length, gate openings and delivery country to **info@porfence.com** or WhatsApp **+1 647 801 2092**. Quotes are given FOB Türkiye, CIF or DDP to the US and Europe.

Welded Mesh Panel Fence

3D panels for gardens and industry, 2D double-wire for stiffer runs and 358 anti-climb mesh for high-security sites. Produced together with our group brand Porçit.

Standard specification

3D panels	4–5 mm wire, 50 × 200 mm mesh, 630–2430 mm high
2D double-wire	6/5/6 and 8/6/8 mm
358 security	76.2 × 12.7 mm aperture, 4 mm wire
Panel width	2500 mm
Finish	Galvanized plus powder coat
Colours	RAL 6005, 7016, 9005

Indicative dimensions. The final specification is confirmed in your quotation.

Styles in this range

3D Welded Mesh Panels

Welded mesh panels with V-bends for stiffness. The standard perimeter fence for industry and public sites.

4 or 5 mm wire · Heights 630–2430 mm · Posts and clamps included

2D Double-Wire Panels

Flat panels with double horizontal wires for a stiffer, straighter run.

6/5/6 or 8/6/8 mm · 2500 mm panel width · Galvanized and powder coated

358 Anti-Climb Security Mesh

Narrow-aperture mesh that leaves no finger or toe hold. For high-security perimeters.

76.2 × 12.7 mm aperture · Anti-climb and anti-cut · Security fixings

Standard colours

Black	Bronze	Anthracite	White	Moss green
RAL 9005	Textured bronze	RAL 7016	RAL 9016	RAL 6005

Polyester powder coat over a pretreated surface. Other RAL colours on volume orders. Request a physical sample for colour approval.

Request a quotation

Send product, height, colour, quantity or run length, gate openings and delivery country to **info@porfence.com** or WhatsApp **+1 647 801 2092**. Quotes are given FOB Türkiye, CIF or DDP to the US and Europe.

Gates

Gates built in the same profiles and colours as the fence, from garden walk gates to sliding drive gates. Drive gates are prepared for automation.



Standard specification

Walk gates	0.9–1.2 m (36"–48") openings
Double swing	3.0–6.0 m openings
Sliding & cantilever	Up to 8 m openings
Hardware	Adjustable hinges, latches, drop rods
Automation	Prepared for swing and sliding operators
Materials	Aluminum or steel to match the fence

Indicative dimensions. The final specification is confirmed in your quotation.

Styles in this range

Walk Gate

A single-leaf gate for paths and garden entrances, built in the same profile as the fence.

36"–48" openings · Self-closing hinges · Lockable latch

Double Swing Drive Gate

A two-leaf drive gate for vehicle entrances, prepared for automation.

3–6 m openings · Drop rod and centre stop · Operator-ready

Sliding Drive Gate

A track-guided sliding gate for entrances where there is no room for a swing.

Up to 8 m openings · Ground track and guide rollers · Operator-ready

Cantilever Gate

A sliding gate carried on rollers behind the opening, with no track across the drive.

No ground track · For uneven or snowy ground · Operator-ready

Aluminum Louvre Gate

A walk or drive gate with angled blades to match louvre privacy fencing.

Matches louvre panels · Walk or drive widths · Aluminum frame

Standard colours

Black	Bronze	Anthracite	White	Moss green
RAL 9005	Textured bronze	RAL 7016	RAL 9016	RAL 6005

Polyester powder coat over a pretreated surface. Other RAL colours on volume orders. Request a physical sample for colour approval.

Request a quotation

Send product, height, colour, quantity or run length, gate openings and delivery country to **info@porfence.com** or WhatsApp **+1 647 801 2092**. Quotes are given FOB Türkiye, CIF or DDP to the US and Europe.

Posts, Hardware & Accessories

Everything needed to finish the run: posts, caps, base plates, panel brackets, hinges and latches, colour-matched to the fence.

Standard specification

Posts	2", 2.5", 3" (50, 60, 80 mm) square
Mounting	In-ground or surface mount with base plates
Caps	Flat, pyramid and ball caps
Brackets	Flat, swivel and corner brackets
Gate hardware	Self-closing hinges, gravity and magnetic latches
Finish	Matched to the fence colour

Indicative dimensions. The final specification is confirmed in your quotation.

Styles in this range

Posts & Caps

Square aluminum posts and caps, pre-punched for every Porfence panel style.

2", 2.5", 3" square · Line, corner and end posts · Flat, pyramid and ball caps

Hinges & Latches

Gate hinges and latches matched to gate weight and use, including self-closing pool hardware.

Adjustable and self-closing hinges · Gravity and magnetic latches · Colour-matched

Brackets & Base Plates

Panel brackets and base plates for surface-mounting on concrete, decks and walls.

Flat, swivel and corner brackets · Base plates with anchor holes · Stainless fixings

Standard colours

Black	Bronze	Anthracite	White	Moss green
RAL 9005	Textured bronze	RAL 7016	RAL 9016	RAL 6005

Polyester powder coat over a pretreated surface. Other RAL colours on volume orders. Request a physical sample for colour approval.

Request a quotation

Send product, height, colour, quantity or run length, gate openings and delivery country to **info@porfence.com** or WhatsApp **+1 647 801 2092**. Quotes are given FOB Türkiye, CIF or DDP to the US and Europe.